

Hoe beheer je asset informatie met Machine Learning?



online kennisdagen | 22 & 23 juni 2021



Speaker






Challenges: How to do asset information management?



Information Management Challenges

Why are organizations struggling to manage their information?


- Information Silos
 - How to maintain data integrity?
 - How to prevent data duplication?
- Access issues
 - Do users have access to the systems they need?
 - Can users find the information?
- Publication issues
 - Can users access data on their (mobile) device?
 - Are apps/viewers for various formats available?






Asset Master Data Management

- How do you know the asset information is correct?
- What system is responsible for the master data and classifications
- Master Data Management requires integration (can be complex and expensive)






Human behavior





Organizational Culture Model





But... we have a document management system


- Designed to create, store and organize content files not information
- Designed to manage metadata (the data about data) such as source, version, owner, statistical data etc.
- Does not typically offered extensive content (information) search

Often the IT director / manager is the business owner for information management






Data Quality Model





Contextual Asset Information across the Asset Lifecycle





Asset Information Warehouse




Server

Adaptors

Source Documents, Drawings,

> Source Systems







Machine learning vs references

Examples of references

Equipment identified by the tag number



Documents identified by a document number




tion	Name	Certifying Body	Protected Equipment
	PSV-1001A	Stoomwezen	V-760-A
	PSV-1001B	Stoomwezen	V-760-B
	PSV-1003	none	PRS-1028
	PSV-1004	none	PRS:102.1
	PSV-1005	none	PRS-1022
	PSV-1006	none	PRS-1023
	PSV-1007	none	PRS-1024
	PSV-1008	Stoomwezen	V-780
	PSV-1010	Stoomwezen	V-750
	PSV-1012	none	PRS-1029
	PSV-1067	None	WATERCHIL UNIT
	PSV-1068	none	COLDSTOR.VESSEL
	PSV-1A-001	Stoomwezen	spare
	PSV-1B-001	Stoomwezen	spare/V-700-b
	PSV-638-1	Stoomwezen	COMP-VENT
	PSV-638-2	Stoomwezen	COMP-VENT
	PSV-710A	None	P-710-A
	PSV-710B	none	P-710-B
	PSV-730-1	none	P-730
	PSV-730-2	none	p-730
	PSV-740-1	none	P-740

NO	SHOWLING WARRING COMPLEX V. 3 HT SCHWARTON - 5 OF 20	
	cutions 50th 5000 and 100m 5000, have been included for pressure protection of the art pressure analysis and piping. Describes the 1995 values gas in passed to the integrated \$1,0000.	
Gas Lie	aid Separation	
	duction Separator <u>a. 2008</u> . Republy, stage (Flore) are removed from the gas, <u>b. 2008</u> is a ringle precure (similar follows). Separatorizes it and detail of the thir and MS gas, and the following comparator (and statuted gas is removed for a sales for is AAO for extremely began the following comparator (as passed to the Off Content Marian).	
MP Cool	euer .	
	Codensor syndersate and water are opported by two plate parts and a size mash, other. The Codensor is opported at the came procure as the Production Separator (a High procure has the alternage that possible of draple's are not depended.	
10 show 1 05 755 7	continuate is continued with the felf gas coming from Production Traperston <u>3,2000</u> surgest of the appetries to field. Water is noted to the Producest Water Fach Grown to promote Entered the MF Continues and the Report in <u>3,2000</u> on qualified view on IT believes for the Separator in Viscoted above the Continues.	
	Supply Line	
	on the MEE Beacher Compressor can be recent to began stor at 1998 through a horizon of Besting not mad production the supply line will be included from a 1998 by mores of estimation prints.	
	embrane in a 1800 will discussed the efficiency of the gap, figured appreciation, follows the own draps before the dissips interpretation of 1875 the new of main intered papers are ple- fer using the fairing an august ten, but again from their compressions in more of the gap from more they gap, interpretation above 2 12 periferable highest to improve the appreciation per interpretation and 1880 or to propose the compression of the period of the compression of the period of the compression of the second of	
	Cold dark up of the RIE and (+ PT):	
	When the packet WE pipeline reads to be do precurined to eigent precure over to latest NOValey to Tribergi.	
To use this line the following sequence is required:		
	The gas flow through the MPD Booton Compressor will be reduced (MPD gas with).	
	The first gas regard, from its represent inserving of \$500.645 and represent solvered.	
	The Booker Compressor discharge valve (\$50.630) will be closed.	
A low ten not drop t	pendure carb.h (St. 1882) will initiate an COSS to enquire that the temperature does below the inhimum disign temperature of the separatry (2010).	
	of Injection	

Cross-References

Find e.g. V-700 in:


- Drawings
- Excel Sheets
- Manuals
- Reports
- Scans
- Database records
- etc.




Viewport alarms if a tagname has no cross references (e.g. to the ERP/CMMS master database)



User portal





Tagname hotspot

- Asset information
 - From CMMS or ERP
- References
 - All available sources
- Trend information
 - From data historian
- Work instruction
 - From CMMS or ERP



Customer case



14

Customer case

- Customer: European energy company responsible for mission-critical, nuclear power operations.
- Complex interplay of work activities at various stages
- Challenge assessing ongoing work activities in a timely manner
- Total process is time consuming
- Engineers need immediate access to the real-time status of equipment and actual work
- Difficult to identify possible conflicts between actual and planned work




Implementation

- Prototype to show concurrent activities
- Multiple fast iterations to finalize visualization
- Install and configure test environment at client.
 - Connect to SAP for work orders / asset data
 - P&IDs show current and planned work activities.
 - Visualization was added to PDF content (download & Print)
- Connected OSIsoft PI Asset Framework
 - Real-time color-coding of all valves, pumps, and instruments
- Standard functionality of Viewport completed requirements
 - Search and navigate P&IDs, tags, work orders
 - Identify missing tags / documents, continuous improvement cycle




Results

- A streamlined interface showing current and planned work activities on P&IDs, highlighting possible conflicts in real-time
- Identification of tags, symbols and digital prints
- A real-time connection to OSIsoft PI enabling visual consistency-checks in CAD and PDF files
- Access real-time plant status through existing P&IDs.



Note: tagnames are hidden

Next step: Integration Viewport and Permit to Work





4 TAKEAWAYS

1

Acknowledge
you have a
problem with
asset
information
integrity

2

Workaround is not a solution

3

Select a sustainable solution what fits your needs and budget

4

Viewport is a practical and affordable solution to address asset information integrity

Thank you for your attention

More information?
Contact Marcel.Kelder@nl.yokogawa.com
or subscribe yokogawa.com/nl/nieuwsbrief



