


Hoe is de IEC-62443 normering te vertalen naar de praktijk?





MODELEC





The Scope of IEC 62443 standard

- 1-1: Terminology and concepts
- 1-2: Master glossary
- 1-3: System security compliance metrics
- 1-4: IACS security lifecycle and use-case

- 2-1: Requirements for an IACS security management system
- 2-2: Implementation guidance
- 2-3: Patch management
- 2-4: Installation & maintenance
- ✓ Apply to Asset Owner

- 3-1: Security technologies for IACS
- 3-2: Security levels for zones and networks
- 3-3: System security requirements
- ✓ Apply to System Integrator

- 4-1: Product development requirements
- 4-2: Technical security requirements for IACS components
- ✓ Apply to Component Supplier

Category	Item	Item
General	62443-1-1 Concepts and models	62443-1-2 Master glossa terms and abbrev
	62443-2-1 Requirements for an IACS security management system	62443-2-2 Implementation g for an IACS se management sy
System	62443-3-1 Security technolog for IACS	62443-3-2 Security risk assessment and system design
	System security requirements and security levels	
	62443-4-1 Secure product development lifecycle requirements	62443-4-2 Technical security requirements for IACS components

Fig. 2: Industrial Automation & Control System overview









		Impact				
		niet merkbaar	klein	gemiddeld	groot	desastreus
Kans	dagelijks	gemiddeld	hoog	hoog	kritiek	kritiek
	wekelijks	gemiddeld	gemiddeld	hoog	kritiek	kritiek
	maandelijks	laag	gemiddeld	hoog	hoog	kritiek
	jaarlijks	laag	gemiddeld	gemiddeld	hoog	hoog
	> jaarlijks	laag	laag	gemiddeld	gemiddeld	hoog

Bron: NCSC













⚠ Risico: Productie staat stil door een ongeautoriseerde configuratie aanpassing

Login Notification

Welcome admin

Please change the default password in consideration of higher security level

The latest successful login time was 2019-09-23 13:09:46 from 127.0.0.1

IP and Login Management

<input type="text" value="5"/>	(1-10)
<input type="text" value="5"/>	(1-60)


9 oktober 2019 | De Basiliek Veenendaal

INDUSTRIAL CYBER SECURITY



Component	62443-4-1	62443-4-2
	Secure product development lifecycle requirements	Technical security requirements for IACS components







Locatie bescherming
Security Dashboard Console (SDC)

Zone bescherming
Industrial Next-Gen Firewall (NGFW)

Cel bescherming
IDS/IPS





MODELEC

weet te verbinden

Bedankt voor je interesse!

**Wil je meer weten?
0318-636262
contact@modelec.nl**